



ELSEVIER

Sensors and Actuators A 59 (1997) 357

**SENSORS  
AND  
ACTUATORS**  
**A**  
**PHYSICAL**

## Author Index of Volume A59

- Aldica, G., 347  
Andrescu, A., 208  
Anghelache, R., 219, 295  
Anton, I., 307  
Arcas, J., 101  
Avarisiotis, I.N., 94  
Bădescu, C., 352  
Barandiaran, J.M., 38, 97  
Barariu, F., 109, 243  
Barash, V.Y., 56  
Bauereisen, S., 168  
Beloglazov, A.A., 323  
Britwistle, J.K., 30  
Blazek, J., 287  
Boe, C., 168  
Bovarin, N.A., 56  
Brauer, P., 70, 168, 266  
Broșcean, L., 197  
Budur, A., 153  
Butvinová, B., 266  
Butvin, P., 266  
Caltun, O., 142  
Chifan, S., 208  
Chiriac, H., 75, 79, 84, 89, 94, 105,  
109, 128, 243, 256, 280  
Choudhary, P., 51  
Ciobotaru, I., 295  
Cosma, V.M., 128, 136  
Cotae, C., 133, 222  
Creanga, D., 222  
Cretu, M., 300  
Cristea, C., 136  
Darie, I., 75, 79  
Derebasi, N., 342  
De Sabata, I., 272  
Deyerler, M., 168  
Diaconu, E.D., 105, 109, 113  
Didosyan, Y.S., 56  
Eckert, D., 252  
El Ghanami, M., 261  
Fulmek, P., 56  
Gaugitsch, M., 61  
Georgescu, V., 153  
Germano, R., 337  
Geru, I.I., 124  
Ghorbanzadeh, A.M., 323  
Gibbs, M.R.J., 229  
Gómez-Polo, C., 101, 261  
González, J., 97  
Grigorenko, A.N., 277  
Grigorică, M., 280  
Grimberg, R., 201, 205, 213  
Gutierrez, J., 38  
Haba, C.G., 128, 136  
Haba, P., 136  
Handstein, A., 252  
Hansch, C., 177  
Hauser, H., 56, 61  
Hernando, A., 97, 101  
Hill, E.W., 30  
Hristoforu, E., 75, 79, 84, 89, 94,  
183, 280  
Hudak, J., 287  
Hütten, A., 236, 252  
Ignat, M., 352  
Inoue, A., 256  
Ioan, C., 105, 109, 113, 329  
Ioysher, A., 119  
Jørgensen, J.L., 168  
Kantser, V., 119, 313  
Kappel, W., 320  
Karayannis, V., 89  
Karl, W., 229  
Knobel, M., 20, 256  
Konopko, L., 313  
Konov, V.I., 323  
Kraus, L., 65  
Lanotte, L., 337  
Larin, V., 97  
Lazarescu, M.F., 149  
Leporda, N., 119  
Lionis, G., 79  
Logofatu, B., 149  
Logofatu, M., 149  
Lozovan, M., 128, 136  
Luca, M., 222  
Luches, A., 323  
Macovei, C., 109, 329  
Macoviciuc, M., 105, 113, 329  
Mapps, D.J., 9  
Marinescu, S., 256  
Marin, P., 261  
Merao, J.M.G., 70  
Meydan, T., 43, 51, 192, 342  
Mihalache, O., 201, 205, 213  
Moga, A.E., 280  
Mohri, K., 1  
Moisa, I., 153  
Moldovanu, A., 105, 109, 113,  
300, 329  
Moldovanu, B.O., 113, 300  
Moldovanu, C., 300  
Moldovanu, E., 105, 109, 113, 329  
Müller, K.-H., 236, 252  
Munteanu, I., 149  
Murillo, N., 97  
Nagacevski, V., 84  
Neagu, M., 75, 79, 84, 89  
Niculescu, A.I., 347  
Nielsen, O.V., 70, 168, 266  
Nikitin, P.I., 277, 323  
Nor, A.F., 30  
Oduncu, H., 192  
Olaru, R., 133, 222  
Oprișan, S., 352  
Óvári, T.A., 243, 256  
Panaitov, G., 313, 316  
Panina, L.V., 1  
Parker, M.R., 30  
Pascale, A., 320  
Pascual, L., 261  
Patelli, D., 158  
Perrone, A., 323  
Petersen, J.R., 70  
Pokorný, J., 65  
Popa, N.C., 197, 272, 307  
Popa, P.D., 219, 292  
Popa, S., 347  
Pop, Gh., 243  
Potencz, I., 197, 307  
Powell, A.L., 229  
Praslicka, D., 287  
Primdahl, F., 70, 168  
Radu, A., 347  
Radu, E., 201, 205, 213  
Reininger, T., 177  
Rezlescu, E., 292  
Rezlescu, N., 219, 292, 295  
Risbo, T., 168  
Roschepkin, G.V., 277  
Rusu, A., 347  
Rusu-Petroaia, A., 320  
Sanchez, M.L., 20  
Savin, A., 201, 205, 213  
Schäfer, R., 252  
Schelter, W., 165  
Schewe, H., 165  
Schneeweiss, O., 269  
Sinnecker, J.P., 256  
Spinu, L., 142  
Stancu, A., 142  
Tomut, M., 105  
Toporov, A.Y., 323  
Tsomokou, C., 84  
Uchiyama, T., 1  
Valeiko, M.V., 323  
Valenzuela, R., 20  
Vázquez, M., 20, 97, 101  
Vékás, L., 197, 307  
Vondráček, M., 269  
Watts, R., 229  
Yates, R.B., 229  
Žák, T., 269  
Zhukov, A.P., 20



## Subject Index of Volume A59

- Accelerometer**  
a novel accelerometer design using the inverse magnetostrictive effect, 51  
recent trends in linear and angular accelerometers, 43  
**Acoustic wave guides**  
improving the magnetostrictive delay line resolution, 84  
**Alternative magnetic field**  
magnetic liquid sensor in orthogonal magnetic fields, 222  
**Amorphous alloys**  
design and fabrication of microminiature delay line using thin film technology, 280  
magnetoelastic sensors based on soft amorphous magnetic alloys, 38  
**Amorphous ferromagnetic microwire**  
magnetic bistability of glass-covered Fe-rich amorphous microwire: influence of heating treatments and applied tensile stress, 97  
**Amorphous glass-covered wires**  
amorphous glass-covered magnetic wires for sensing applications, 243  
**Amorphous materials**  
functional study of fluxgate sensors with amorphous magnetic materials cores, 105  
offset thermostability of the TFS-3 magnetometric sensors, 109  
on the bias field dependence of FeSiB wire delay lines response, 75  
recent trends in linear and angular accelerometers, 43  
sensor applications based on induced magnetic anisotropy in toroidal cores, 101  
**Amorphous ribbons**  
effect of stress on localised flux directions in amorphous toroidal transducers, 342  
enhancement of magnetostrictive properties of amorphous ribbons for a biomedical application, 192  
magnetic domain coupling energy of amorphous ribbons used in sensor manufacturing, 295  
**Amorphous wires**  
giant magnetoimpedance effect in soft magnetic wires for sensor applications, 20  
GMI effect in amorphous wires with creep-induced magnetic anisotropy, 65  
recent advances of micro magnetic sensors and sensing application, 1  
torsional and tensile stress dependence in amorphous magnetic wires, 79  
**Anisotropy of giant magnetoresistance**  
giant magnetoresistance in Fe-based bulk materials, 252  
**Automation technology**  
industrial applications of magnetoresistive sensors, 165  
**Automotive applications**  
industrial applications of magnetoresistive sensors, 165
- Balancing of the forces**  
tilt sensor with magnetic liquid, 133  
**Bias magnetic field**  
on the bias field dependence of FeSiB wire delay lines response, 75  
**Biomedical sensor**  
enhancement of magnetostrictive properties of amorphous ribbons for a biomedical application, 192  
**Bloch equations**  
detection of low magnetic field by means of nuclear resonance of beats, 124  
**Bloch walls**  
some aspects of the nonlinear dynamics of magnetic domain walls, 352  
**Bone fracture healing**  
enhancement of magnetostrictive properties of amorphous ribbons for a biomedical application, 192
- Calibration**  
new flowmeters based on amorphous magnetic wires, 94  
transverse field effect in fluxgate sensors, 70  
**Carbon-silicon carbide**  
a high-precision triaxial fluxgate sensor for space applications: layout and choice of materials, 168  
**Chaos**  
some aspects of the nonlinear dynamics of magnetic domain walls, 352  
**Closed loop**  
recent trends in linear and angular accelerometers, 43  
**CMOS inverter**  
recent advances of micro magnetic sensors and sensing application, 1  
**Coil inductance**  
numerical simulation for electrical coils of inductive transducers with magnetic liquids, 272  
**Colpitts oscillator**  
recent advances of micro magnetic sensors and sensing application, 1  
**Continuous magnetic field**  
magnetic liquid sensor in orthogonal magnetic fields, 222  
**Control**  
some aspects of the nonlinear dynamics of magnetic domain walls, 352  
**Corrosion**  
transducer for establishing the integrity of influent water pipes, 208  
**Creep-induced anisotropy**  
GMI effect in amorphous wires with creep-induced magnetic anisotropy, 65  
**Current detection**  
industrial applications of magnetoresistive sensors, 165



- Current peak-value measurement
  - converter for measurement of non-sinusoidal current peak value, 266
- Current sensor
  - sensor applications based on induced magnetic anisotropy in toroidal cores, 101
- Displacement
  - phase demodulation conditioner for inductive displacement transducer, 158
- Displacement sensors
  - magnetostrictive delay lines and their applications, 183
  - on a category of displacement and temperature sensors based on magnetic materials, 128
  - optimization of a displacement sensor with magneto-optical light modulation, 61
  - optimization of a ferromagnetic displacement sensor, 136
- Domain wall motion
  - magnetic field sensor by orthoferites, 56
- Domain wall nucleation and propagation
  - on the calibration of position sensors based on magnetic delay lines, 89
- Dyadic Green function
  - modelling the operation of the eddy current transducer with orthogonal coils in the presence of material discontinuities, 201
- Dynamical compensation
  - dynamical cancellation of the environmental magnetic disturbing fields, 329
- Eddy current
  - finite element numerical simulation for eddy current transducer with orthogonal coils, 213
  - modelling the operation of the eddy current transducer with orthogonal coils in the presence of material discontinuities, 201
  - transducer for uniformity control of metallic protective coatings on steel wires, 205
- Electrometer
  - magnetosensors based on semiconductor microwires, 119
- Electromotive force
  - magnetic liquid sensor in orthogonal magnetic fields, 222
- Eutectic structures
  - giant magnetoresistance in bulk materials, 236
- Fabrication conditions
  - optimisation of rapidly quenched FeSiBCuNb alloys through the control of the quenching rate, 261
- Faraday effect
  - magnetic field sensor by orthoferites, 56
- FARADAY-effect
  - optimization of a displacement sensor with magneto-optical light modulation, 61
- Faraday effect sensors
  - faraday effect in thin amorphous magnetic films, 323
- Fe-Al
  - structure sensitivity of magnetic and electrical properties of Fe-Al intermetallic compounds, 269
- Ferromagnetic nanoparticles
  - a new technique for high frequency sub-threshold magnetic field sensing in nanometer scale based upon magnetostochastic resonance, 277
- Field sensors
  - magnetostrictive delay lines and their applications, 183
- Field stability
  - superconducting quantum magnetometer for magnetic relaxation measurements, 316
- Finite element method
  - finite element numerical simulation for eddy current transducer with orthogonal coils, 213
- Flipper method
  - metrological aspects of the offset evaluation for magnetometric sensors, 113
- Flowmeter
  - new flowmeters based on amorphous magnetic wires, 94
- Flux
  - effect of stress on localised flux directions in amorphous toroidal transducers, 342
- Fluxgate
  - a high-precision triaxial fluxgate sensor for space applications: layout and choice of materials, 168
  - a relax type magnetic fluxgate sensor, 287
  - optimization of a ferromagnetic displacement sensor, 136
  - recent advances of micro magnetic sensors and sensing application, 1
- Fluxgate sensors
  - functional study of fluxgate sensors with amorphous magnetic materials cores, 105
  - metrological aspects of the offset evaluation for magnetometric sensors, 113
  - nonlinear dynamics of the fluxgate circuitry, 300
  - offset thermostability of the TFS-3 magnetometric sensors, 109
  - transverse field effect in fluxgate sensors, 70
- Flux meter
  - HTS-SQUIDS and related instrument models made in Romania, 347
- Force
  - effect of stress on localised flux directions in amorphous toroidal transducers, 342
- Galvanomagnetorecombination elements
  - magnetosensors based on semiconductor microwires, 119
- Gas flow rate
  - magnetic liquid sensor for very low gas flow rate with magnetic flow adjusting possibility, 307
- Gas flow
  - some applications of inductive transducers with magnetic liquids, 197
- Giant magneto-impedance effect
  - comparative study of the giant magneto-impedance effect in Fe-based nanocrystalline ribbons, 256
  - GMI effect in amorphous wires with creep-induced magnetic anisotropy, 65
- Giant magnetoresistance
  - giant magnetoresistance in bulk materials, 236
  - recent advances of micro magnetic sensors and sensing application, 1
  - structure sensitivity of magnetic and electrical properties of Fe-Al intermetallic compounds, 269
- Giant magnetoresistance in AlNiCo5
  - giant magnetoresistance in Fe-based bulk materials, 252
- Giant magnetoresistive
  - a giant magnetoresistive magnetometer, 30
- Giant magnetoresistive sensors
  - industrial applications of magnetoresistive sensors, 165
- Granular materials
  - giant magnetoresistance in bulk materials, 236

- Hall effect
  - recent advances of micro magnetic sensors and sensing application, 1
- Helmholtz coils
  - dynamical cancellation of the environmental magnetic disturbing fields, 329
- High frequency Ni-Zn ferrite
  - properties of a representative polycrystalline ferrite used in magnetic transducer heads, 292
- High temperature superconductor
  - HTS-SQUIDS and related instrument models made in Romania, 347
- Hyperfine states
  - detection of low magnetic field by means of nuclear resonance of beats, 124
- Impulse response
  - improving the magnetostrictive delay line resolution, 84
- Inclination measurement
  - some applications of inductive transducers with magnetic liquids, 197
- Induced anisotropies
  - sensor applications based on induced magnetic anisotropy in toroidal cores, 101
- Inductive
  - inductive sensor for slow varying magnetic fields, 219
- Inductive transducers
  - magnetic liquid sensor for very low gas flow rate with magnetic flow adjusting possibility, 304
  - numerical simulation for electrical coils of inductive transducers with magnetic liquids, 272
  - some applications of inductive transducers with magnetic liquids, 197
- Industrial automation
  - magnetic field sensors for the industrial automation, 177
- Influence of additives
  - properties of a representative polycrystalline ferrite used in magnetic transducer heads, 292
- Interaction domains
  - giant magnetoresistance in Fe-based bulk materials, 252
- Inverse magnetostriction
  - enhancement of magnetostrictive properties of amorphous ribbons for a biomedical application, 192
- KERR-effect
  - optimization of a displacement sensor with magneto-optical light modulation, 61
- Kerr microscopy
  - giant magnetoresistance in Fe-based bulk materials, 252
- Laser deposition
  - faraday effect in thin amorphous magnetic films, 323
- Light modulation
  - optimization of a displacement sensor with magneto-optical light modulation, 61
- Linear response magnetic cores
  - converter for measurement of non-sinusoidal current peak value, 266
- Linear variable differential transformer
  - new flowmeters based on amorphous magnetic wires, 94
- Losses
  - some aspects of the nonlinear dynamics of magnetic domain walls, 352
- Low-frequency coherence
  - detection of low magnetic field by means of nuclear resonance of beats, 124
- Low frequency
  - inductive sensor for slow varying magnetic fields, 219
- Magnetic bistability
  - magnetic bistability of glass-covered Fe-rich amorphous microwire: influence of heating treatments and applied tensile stress, 97
- Magnetic circuit
  - magnetostrictive delay lines and their applications, 183
- Magnetic disturbances
  - dynamical cancellation of the environmental magnetic disturbing fields, 329
- Magnetic field sensor
  - a new technique for high frequency sub-threshold magnetic field sensing in nanometer scale based upon magnetostochastic resonance, 277
  - inductive sensor for slow varying magnetic fields, 219
  - magnetic field sensor by orthoferrites, 56
  - magnetic field sensor with linear response, 149
  - on the bias field dependence of FeSiB wire delay lines response, 75
- Magnetic fields
  - magnetoresistive sensors, 9
- Magnetic flow adjustment
  - magnetic liquid sensor for very low gas flow rate with magnetic flow adjusting possibility, 307
- Magnetic liquid sensor
  - magnetic liquid sensor in orthogonal magnetic fields, 222
- Magnetic liquids
  - magnetic liquid sensor for very low gas flow rate with magnetic flow adjusting possibility, 307
  - numerical simulation for electrical coils of inductive transducers with magnetic liquids, 272
  - some applications of inductive transducers with magnetic liquids, 197
- tilt sensor with magnetic liquid, 133
- Magnetic materials
  - optimization of a ferromagnetic displacement sensor, 136
- Magnetic measurements
  - a relax type magnetic fluxgate sensor, 287
- superconducting quantum magnetometer for magnetic relaxation measurements, 316
- Magnetic properties
  - amorphous glass-covered magnetic wires for sensing applications, 243
  - optimisation of rapidly quenched FeSiBCuNb alloys through the control of the quenching rate, 261
  - structure sensitivity of magnetic and electrical properties of Fe-Al intermetallic compounds, 269
- Magnetic radiation
  - a relax type magnetic fluxgate sensor, 287
- Magnetic sensors
  - amorphous glass-covered magnetic wires for sensing applications, 243
  - a relax type magnetic fluxgate sensor, 287
  - comparative study of the giant magneto-impedance effect in Fe-based nanocrystalline ribbons, 256
  - giant magnetoimpedance effect in soft magnetic wires for sensor applications, 20
  - magnetic field sensors for the industrial automation, 177
  - magnetosensors based on semiconductor microwires, 119
  - on the magnetic sensors using multilayer thin cylindrical films investigation, 153



- Magnetic shielding
  - superconducting magnetic shield for high-Tc squid, 313
- Magnetic transducer heads
  - properties of a representative polycrystalline ferrite used in magnetic transducer heads, 292
- Magnetization process
  - magnetic bistability of glass-covered Fe-rich amorphous microwire: influence of heating treatments and applied tensile stress, 97
- Magnetization
  - tension and torsion magnetic sensors based on frequency harmonic content analysis of induced signal in perpendicular fields, 142
- Magnetoelasticity
  - magnetoelastic sensors based on soft amorphous magnetic alloys, 38
- Magnetoelastic
  - magnetic domain coupling energy of amorphous ribbons used in sensor manufacturing, 295
- Magnetoelastic waves
  - application of magnetoelastic waves for sensors of displacement, 337
- Magneto-impedance
  - recent advances of micro magnetic sensors and sensing application, 1
- Magneto-inductive effect
  - torsional and tensile stress dependence in amorphous magnetic wires, 79
- Magnetometer
  - a giant magnetoresistive magnetometer, 30
  - a relax type magnetic fluxgate sensor, 287
  - metrological aspects of the offset evaluation for magnetometric sensors, 113
  - superconducting quantum magnetometer for magnetic relaxation measurements, 316
  - transverse field effect in fluxgate sensors, 70
- Magnetoresistance
  - a giant magnetoresistive magnetometer, 30
- Magnetoresistive sensors, 9
  - recent advances of micro magnetic sensors and sensing application, 1
- Magnetoresistive
  - magnetosensors based on semiconductor microwires, 119
- Magnetostatic
  - magnetic domain coupling energy of amorphous ribbons used in sensor manufacturing, 295
- Magnetostriction
  - a high-precision triaxial fluxgate sensor for space applications: layout and choice of materials, 168
  - a novel accelerometer design using the inverse magnetostrictive effect, 51
  - application of magnetoelastic waves for sensors of displacement, 337
  - microstructures containing piezomagnetic elements, 229
- Magnetostrictive delay lines
  - design and fabrication of microminiature delay line using thin film technology, 280
  - improving the magnetostrictive delay line resolution, 84
  - magnetostrictive delay lines and their applications, 183
  - on the bias field dependence of FeSiB wire delay lines response, 75
  - on the calibration of position sensors based on magnetic delay lines, 89
  - torsional and tensile stress dependence in amorphous magnetic wires, 79
- Material discontinuities
  - modelling the operation of the eddy current transducer with orthogonal coils in the presence of material discontinuities, 201
- Metallic coatings
  - transducer for uniformity control of metallic protective coatings on steel wires, 205
- Metallic glass
  - a high-precision triaxial fluxgate sensor for space applications: layout and choice of materials, 168
- Metallic multilayers
  - on the magnetic sensors using multilayer thin cylindrical films investigation, 153
- Microelectromechanical systems
  - microstructures containing piezomagnetic elements, 229
- Micro magnetic sensors
  - recent advances of micro magnetic sensors and sensing application, 1
- Microstrain function
  - improving the magnetostrictive delay line resolution, 84
- Microwire
  - magnetosensors based on semiconductor microwires, 119
- Model
  - transverse field effect in fluxgate sensors, 70
- Mössbauer spectroscopy
  - structure sensitivity of magnetic and electrical properties of Fe-Al intermetallic compounds, 269
- Multivibrator
  - recent advances of micro magnetic sensors and sensing application, 1
- Nanocrystalline magnetic materials
  - comparative study of the giant magneto-impedance effect in Fe-based nanocrystalline ribbons, 256
- Nanocrystalline materials
  - optimisation of rapidly quenched FeSiBCuNb alloys through the control of the quenching rate, 261
- Neutron irradiation
  - magnetic field sensor with linear response, 149
- Nonlinear dynamics
  - nonlinear dynamics of the fluxgate circuitry, 300
- Non linearity
  - transverse field effect in fluxgate sensors, 70
- Numerical simulation
  - numerical simulation for electrical coils of inductive transducers with magnetic liquids, 272
- Object recognizers
  - magnetoelastic sensors based on soft amorphous magnetic alloys, 38
- Offset
  - metrological aspects of the offset evaluation for magnetometric sensors, 113
- Offset thermostability
  - offset thermostability of the TFS-3 magnetometric sensors, 109
- Open-loop
  - recent trends in linear and angular accelerometers, 43
- Orientation of spins
  - detection of low magnetic field by means of nuclear resonance of beats, 124
- Orthoferrites
  - magnetic field sensor by orthoferrites, 56
- Orthogonal coils
  - finite element numerical simulation for eddy current transducer with orthogonal coils, 213

- modelling the operation of the eddy current transducer with orthogonal coils in the presence of material discontinuities, 201
- Orthogonal magnetic fields
  - magnetic liquid sensor in orthogonal magnetic fields, 222
- Pendulum
  - tilt sensor with magnetic liquid, 133
- Phase demodulation
  - phase demodulation conditioner for inductive displacement transducer, 158
- Phase detector
  - phase demodulation conditioner for inductive displacement transducer, 158
- Photon absorption
  - detection of low magnetic field by means of nuclear resonance of beats, 124
- Piezomagnetism
  - microstructures containing piezomagnetic elements, 229
- Polycrystalline InAs
  - magnetic field sensor with linear response, 149
- Position detection
  - industrial applications of magnetoresistive sensors, 165
- Position detectors
  - magnetoelastic sensors based on soft amorphous magnetic alloys, 38
- Position sensors
  - application of magnetoelastic waves for sensors of displacement, 337
  - on the calibration of position sensors based on magnetic delay lines, 89
- Power loss measurement
  - power loss measurements in electrical steel using the H-coil method, 320
- Pressure difference
  - some applications of inductive transducers with magnetic liquids, 197
- Pressure sensor
  - microstructures containing piezomagnetic elements, 229
- Prestressing
  - enhancement of magnetostrictive properties of amorphous ribbons for a biomedical application, 192
- Primary circuit
  - nonlinear dynamics of the fluxgate circuitry, 300
- Probability of detection
  - transducer for establishing the integrity of influent water pipes, 208
- Rapidly quenched soft-magnetic materials
  - converter for measurement of non-sinusoidal current peak value, 266
- Relaxation oscillator
  - on a category of displacement and temperature sensors based on magnetic materials, 128
- Relaxation phenomenon
  - a relax type magnetic fluxgate sensor, 287
- Reliability
  - transducer for establishing the integrity of influent water pipes, 208
- Remote field eddy current
  - transducer for establishing the integrity of influent water pipes, 208
- Resonance of beats
  - detection of low magnetic field by means of nuclear resonance of beats, 124
- Rigid disk drives
  - industrial applications of magnetoresistive sensors, 165
- Rotating magnetic field
  - transducer for uniformity control of metallic protective coatings on steel wires, 205
- Screen
  - superconducting magnetic shield for high-Tc squid, 313
- Sensor accuracy
  - new flowmeters based on amorphous magnetic wires, 94
  - on the calibration of position sensors based on magnetic delay lines, 89
- Sensor and transducer
  - a novel accelerometer design using the inverse magnetostrictive effect, 51
- Sensors
  - design and fabrication of microminiature delay line using thin film technology, 280
  - magnetoresistive sensors, 9
  - recent trends in linear and angular accelerometers, 43
- Sensor sensitivity
  - new flowmeters based on amorphous magnetic wires, 94
  - on the calibration of position sensors based on magnetic delay lines, 89
- Sensors of rotation
  - application of magnetoelastic waves for sensors of displacement, 337
- Shock
  - recent trends in linear and angular accelerometers, 43
- Signal/noise-ratio
  - optimization of a displacement sensor with magneto-optical light modulation, 61
- Single sheet tester
  - power loss measurements in electrical steel using the H-coil method, 320
- Soft magnetic materials
  - amorphous glass-covered magnetic wires for sensing applications, 243
- giant magnetoimpedance effect in soft magnetic wires for sensor applications, 20
- Soft magnetics
  - faraday effect in thin amorphous magnetic films, 323
- Spectral analysis
  - tension and torsion magnetic sensors based on frequency harmonic content analysis of induced signal in perpendicular fields, 142
- Spindally decomposed bulk magnets
  - giant magnetoresistance in bulk materials, 236
- SQUID
  - HTS-SQUIDs and related instrument models made in Romania, 347
  - superconducting magnetic shield for high-Tc squid, 313
  - superconducting quantum magnetometer for magnetic relaxation measurements, 316
- Stochastic resonance
  - a new technique for high frequency sub-threshold magnetic field sensing in nanometer scale based upon magnetostochastic resonance, 277
- Stress and torsion sensors
  - tension and torsion magnetic sensors based on frequency harmonic content analysis of induced signal in perpendicular fields, 142
- Stress sensors
  - magnetoelastic sensors based on soft amorphous magnetic alloys, 38
  - magnetostrictive delay lines and their applications, 183

- Superconducting ceramics
  - superconducting magnetic shield for high-Tc squid, 313
- Superconducting glass
  - superconducting quantum magnetometer for magnetic relaxation measurements, 316
- Switch development
  - magnetic field sensors for the industrial automation, 177
- Technology
  - HTS-SQUIDS and related instrument models made in Romania, 347
- Temperature sensor
  - on a category of displacement and temperature sensors based on magnetic materials, 128
- Tensile stress
  - new flowmeters based on amorphous magnetic wires, 94
- Thin amorphous magnetic films
  - faraday effect in thin amorphous magnetic films, 323
- Thin film
  - design and fabrication of microminiature delay line using thin film technology, 280
  - magnetoresistive sensors, 9
  - on the magnetic sensors using multilayer thin cylindrical films investigation, 153
  - recent advances of micro magnetic sensors and sensing application, 1
- Tilt sensor
  - tilt sensor with magnetic liquid, 133
- Toroidal cores
  - sensor applications based on induced magnetic anisotropy in toroidal cores, 101
- Transducer
  - effect of stress on localised flux directions in amorphous toroidal transducers, 342
  - finite element numerical simulation for eddy current transducer with orthogonal coils, 213
  - modelling the operation of the eddy current transducer with orthogonal coils in the presence of material discontinuities, 201
  - phase demodulation conditioner for inductive displacement transducer, 158
  - transducer for uniformity control of metallic protective coatings on steel wires, 205
- Transitions between kinds of magnetoresistance
  - giant magnetoresistance in bulk materials, 236
- Triaxial configuration
  - dynamical cancellation of the environmental magnetic disturbing fields, 329
- Turn angle and displacement sensors
  - magnetosensors based on semiconductor microwires, 119
- Vector magnetometer
  - a high-precision triaxial fluxgate sensor for space applications: layout and choice of materials, 168
- Vibration
  - a novel accelerometer design using the inverse magnetostrictive effect, 51
  - recent trends in linear and angular accelerometers, 43



